


9 8 7 6 5 4 3 2 1

REVISIONS				
EC NO	DATE	REV	DESCRIPTION	CHANGER
	2016.06.20	A	INITIAL RELELASE.	DICK
CY16-6929	2016.12.15	A1	CHG NOTE 2.	DICK



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
QUALITY SYMBOLS 	EC NO: 111582 DRWN: WLXIE CHK'D: DHUANG16 REV APPR: YXZOU	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE												
		ANGULAR TOL ± °		MM	NTS							SEE TABLE					
		4 PLACES ±		DRWN BY	DATE												
		3 PLACES ±		WLXIE	2016/05/19	PRODUCT CUSTOMER DRAWING											
		2 PLACES ±		CHK'D BY	DATE												
		1 PLACE ±		DHUANG16	2016/06/13							SERIES	MATERIAL NUMBER	CUSTOMER			
		0 PLACES ±		APPR BY	DATE	201234	SEE TABLE	GENERAL MARKET									
				YXZOU	2016/06/30	DRAWING SIZE	THIRD ANGLE PROJECTION	DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER					
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A3		2012341213		PSD	000	1 OF 3					

RELEASE STATUS	ER	RELEASE DATE	16.12.2016	02:46:09
----------------	----	--------------	------------	----------

9 8 7 6 5 4 3 2 1

TABLE							
PART NUMBER	L(MM)	TITLE	ITEM	DESCRIPTION	Q'TY	PPQ	DU
797582022	150±5	C-Grid 150mm	A	C-Grid Term Fem Crp LFH Sn-A 22/24AWG 901190109	2	50	4000
			B	UL&CSA 1061/#22 STR BLK	A/R		
797582023	300±5	C-Grid 300mm	A	C-Grid Term Fem Crp LFH Sn-A 22/24AWG 901190109	2	50	4000
			B	UL&CSA 1061/#22 STR BLK	A/R		
797582024	300±5	KK 300mm	A	2.5mm KK Crp Term Chn il W/Cat Ear 8500031	2	50	4000
			B	24AWG;PLATED;PVC;BLK;OD=1.40mm;UL1007	A/R		
797582025	150±5	062' 150mm	A	062MaleTermChainBrsTin18-24 1560-(P901) 2062101	2	50	4000
			B	22AWG;PLATED;PVC;BK;OD=2.35MM;UL1015	A/R		
797582026	300±5	062' 300mm	A	062MaleTermChainBrsTin18-24 1560-(P901) 2062101	2	50	4000
			B	22AWG;PLATED;PVC;BK;OD=2.35MM;UL1015	A/R		
797582027	150±5	062' 150mm	A	062FemaleTermChainBrsTin18-241561-(P901) 2061101	2	50	4000
			B	22AWG;PLATED;PVC;BK;OD=2.35MM;UL1015	A/R		
797582028	300±5	062' 300mm	A	062FemaleTermChainBrsTin18-241561-(P901) 2061101	2	50	4000
			B	22AWG;PLATED;PVC;BK;OD=2.35MM;UL1015	A/R		
797582029	150±5	MLX 150mm	A	084 MLX Term M Pwr Chain Brs Tin 14-20AWG 2082003	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582030	300±5	MLX 300mm	A	084 MLX Term M Pwr Chain Brs Tin 14-20AWG 2082003	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582031	150±5	MLX 150mm	A	TERMINAL MLX .84" 14-20AWG EST. FEM-B 2081001	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582032	300±5	MLX 300mm	A	TERMINAL MLX .84" 14-20AWG EST. FEM-B 2081001	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582033	150±5	093' 150mm	A	093 Male Term Chain Brs Tin 14-20AWG 2092101	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582034	300±5	093' 300mm	A	093 Male Term Chain Brs Tin 14-20AWG 2092101	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582035	150±5	093' 150mm	A	093 Female Term Chain Tin 14-20AWG 2091102	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582036	300±5	093' 300mm	A	093 Female Term Chain Tin 14-20AWG 2091102	2	50	4000
			B	18AWG;PLATED;PVC;BK;OD=2.75MM;UL1015	A/R		
797582037	150±5	Mega-Fit 150mm	A	Mega-Fit Female Crimp 14-16AWG 15 Gold 1720630311	2	50	3000
			B	16AWG;PLATED;PVC;BK;OD=3.10MM;UL1015	A/R		
797582038	300±5	Mega-Fit 300mm	A	Mega-Fit Female Crimp 14-16AWG 15 Gold 1720630311	2	50	3000
			B	16AWG;PLATED;PVC;BK;OD=3.10MM;UL1015	A/R		
797582039	150±5	Mega-Fit 150mm	A	Mega-Fit Female Crimp 12 AWG 15 Gold 1720630312	2	50	3000
			B	UL&CSA1015/#12 STR BLK	A/R		
797582040	300±5	Mega-Fit 300mm	A	Mega-Fit Female Crimp 12 AWG 15 Gold 1720630312	2	50	3000
			B	UL&CSA1015/#12 STR BLK	A/R		
797582041	150±5	Sabre 150mm	A	Sabre Term WtW M Tin 14-18AWG 431782002	2	50	4000
			B	16AWG;PLATED;PVC;BK;OD=3.10MM;UL1015	A/R		
797582042	300±5	Sabre 300mm	A	Sabre Term WtW M Tin 14-18AWG 431782002	2	50	4000
			B	16AWG;PLATED;PVC;BK;OD=3.10MM;UL1015	A/R		
797582043	150±5	Sabre 150mm	A	Sabre TPA Term Fem Tin 14-18AWG 433751001	2	50	4000
			B	16AWG;PLATED;PVC;BK;OD=3.10MM;UL1015	A/R		
797582044	300±5	Sabre 300mm	A	Sabre TPA Term Fem Tin 14-18AWG 433751001	2	50	4000
			B	16AWG;PLATED;PVC;BK;OD=3.10MM;UL1015	A/R		













SEE NOTE 2,3

NOTE:
 1. THIS PRODUCT MUST MEET 2011/65/EU ROHS COMPLIANCE.
 此产品需符合 2011/65/EU ROHS环保要求。
 2. PPQ: THE AMOUNT OF CABLES PER BUNDLE.
 每捆产品数量。
 3. DU : THE MINIMUM LINE QUANTITY TO BUY.
 最小购买数量。
 4. STICK UL LABEL ON THE OUTSIDE CARTON.
 外箱上贴UL标签。











QUALITY SYMBOLS
= 0
= 0
= 0
= 0
= 0
= 0
= 0
= 0
= 0
= 0
= 0
= 0

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

EC NO: 111582 DRWN: WLXIE CHK'D: DHUANG16 REV APPR: YXZOU	2016/12/15 2016/12/16 2016/12/19	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± ° 4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACES ±	DIMENSION UNITS: MM SCALE: NTS DRWN BY: WLXIE DATE: 2016/05/19 CHK'D BY: DHUANG16 DATE: 2016/06/13 APPR BY: YXZOU DATE: 2016/06/30	PRODUCT CUSTOMER DRAWING SERIES: 201234 MATERIAL NUMBER: SEE TABLE CUSTOMER: GENERAL MARKET
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS A3		THIRD ANGLE PROJECTION	SEE TABLE
	B		DRAWING SIZE: A3	DOCUMENT NUMBER: 2012341213 DOC TYPE: PSD DOC PART: 000 SHEET NUMBER: 2 OF 3
			DIMENSION UNITS: MM SCALE: NTS	SEE TABLE

	901190109		2081001
	8500031		2092101
	2062101		2091102
	2061101		1720630311
	2082003		1720630312
	431782002		433751001

DETAIL A
TERMINAL FIGURE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
QUALITY SYMBOLS  = 0  = 0  = 0  = 0  = 0  = 0  = 0  = 0	EC NO: 111582 DRWN: WLXIE CHK'D: DHUANG16 REV APPR: YXZOU	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± °		DIMENSION UNITS	SCALE	 SEE TABLE									
		4 PLACES ±		MM	NTS										
		3 PLACES ±		DRWN BY	DATE										
		2 PLACES ±		WDXIE 2016/05/19		CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING					
		1 PLACE ±		DHUANG16 2016/06/13		APPR BY		DATE							
		0 PLACES ±		YXZOU 2016/06/30		DRAWING SIZE	THIRD ANGLE PROJECTION	SERIES	MATERIAL NUMBER	CUSTOMER					
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A3				201234	SEE TABLE	GENERAL MARKET					
								DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER			
								2012341213		PSD	000	3 OF 3			