

Upper part of housing - BC 35,6 OT U22 KMGY - 2896047


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Upper part for installation housing BC, width: 35.6 mm, wiring space depth: 22 mm



Key commercial data

Packing unit	1
Minimum order quantity	1
Catalog page	Page 580 (CC-2011)
GTIN	 4 046356 095464
Custom tariff number	85472000
Country of origin	GERMANY

Technical data

General

Housing type	Upper part
Housing material	polycarbonate
Color	light gray

Dimensions / positions

Length	89.7 mm
Constructional height	62.2 mm
Width	35.6 mm

Technical data

Inflammability class according to UL 94	V0
---	----

Classifications

ETIM

ETIM 2.0	EC001031
ETIM 3.0	EC001031

Upper part of housing - BC 35,6 OT U22 KMGY - 2896047

Classifications

ETIM

ETIM 4.0	EC001031
ETIM 5.0	EC000886

UNSPSC

UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501
UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501

eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27180802
eCl@ss 7.0	27182702

Approvals

Approvals


Approvals

UL Recognized / GOST

Ex Approvals

Approvals submitted


Approval details



Drawings

Upper part of housing - BC 35,6 OT U22 KMGY - 2896047

Dimensioned drawing



The dimensional drawing shows the item with the lower part of the housing and the housing cover