

This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.

The marking on this product doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant.



ORIGINAL







REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	APPROVED
A	NE-14204	RELEASE TO PRODUCTION	11/10/2014	Arron Lin



POS	A	B
02		3.85
04	3.0	6.85
06	6.0	9.85
08	9.0	12.85
10	12.0	15.85
12	15.0	18.85
14	18.0	21.85
16	21.0	24.85
18	24.0	27.85
20	27.0	30.85
22	30.0	33.85
24	33.0	36.85

NOTES:


- MATERIAL:
HOUSING: THERMOPLASTIC,NYLON66, UL94V-0, COLOR: BLACK.
- PACKING IS PER AMTA PACKING SPECIFICATION PKS-0001.
- THIS PRODUCT DOESN'T CONTAIN ENVIRONMENTAL HAZARDOUS PER DIRECTIVE 2011/65/EU FOR RoHS COMPLIANT.
- RECOMMENDED CRIMPING CONTACT P/N: G881C0232CEU



ONLY FOR 2PIN



MATED MICRO POWER CONNECTOR



TOLERANCE	APPROVALS	DATE	TITLE			MICRO POWER CONNECTOR 3.0MM PITCH, DUAL ROWS HOUSING ,CRIMPING TYPE			
X. X.X ±0.30 X.XX ±0.20 X.XXX ±0.10	DRAWN Debby Hung	11/10/2014		UNIT	mm	SIZE	A3	PAPT No.	G881HXX22CEU
ANGULAR ±1°	CHECKED Roger Tsai	11/10/2014		SCALE	NA	SHEET	1 OF 3	DWG No.	G881HXX22CEU
UNLESS OTHERWISE SPECIFIED	APPROVED Arron Lin	11/10/2014		DWG TYPE	CUST DWG	PROJECT CODE	SKT	REV.	A

Amphenol®

Amphenol Corporation
Amphenol Taiwan Corporation

This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.


The marking on this product doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant.




ORIGINAL




REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	APPROVED
A	NE-14204	RELEASE TO PRODUCTION	11/10/2014	Arron Lin




2*1P




2*2P




2*3P




2*4P




2*5P




2*6P




2*7P




2*8P




2*9P



2*10P



2*11P



2*12P

TOLERANCE X. ±0.30 X.X ±0.20 X.XX ±0.10 X.XXX ±0.10 ANGULAR ±1° UNLESS OTHERWISE SPECIFIED	APPROVALS DRAWN Debby Hung CHECKED Roger Tsai APPROVED Arron Lin	DATE 11/10/2014 11/10/2014 11/10/2014	TITLE MICRO POWER CONNECTOR 3.0MM PITCH, DUAL ROWS HOUSING ,CRIMPING TYPE			Amphenol ® Amphenol Corporation Amphenol Taiwan Corporation		
	DWG TYPE CUST DWG	PROJECT CODE SKT		UNIT mm	SIZE A3	PART No. G881HXX22CEU		
			SCALE NA	SHEET 2 OF 3	DWG No. G881HXX22CEU			
						REV. A		

This document is the property of Amphenol Corporation and is delivered on the express condition that is not to be disclosed, reproduced or used in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.




The marking on this product doesn't contain environmental hazardous materials per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EU for RoHS compliant.








ORIGINAL



REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	APPROVED
A	NE-14204	RELEASE TO PRODUCTION	11/10/2014	Arron Lin



1000 PCS



POS	PCS/PE BAGE	PCS/CARTON
02	1000	12000
04	1000	10000
06	1000	10000
08	800	8000
10	800	8000
12	800	8000
14	800	8000
16	600	6000
18	600	6000
20	600	6000
22	500	5000
24	500	5000

TOLERANCE	APPROVALS	DATE	TITLE		Amphenol®						
X. ±0.30	DRAWN Debby Hung	11/10/2014	MICRO POWER CONNECTOR 3.0MM PITCH, DUAL ROWS HOUSING ,CRIMPING TYPE		Amphenol Corporation Amphenol Taiwan Corporation						
X.XX ±0.20											
X.XXX ±0.10	CHECKED Roger Tsai	11/10/2014			UNIT	mm	SIZE	A3	PART No.	G881HXX22CEU	
ANGULAR ±1°	APPROVED Arron Lin	11/10/2014			SCALE	NA	SHEET	3 OF 3	DWG No.	G881HXX22CEU	REV.
UNLESS OTHERWISE SPECIFIED	DWG TYPE CUST DWG	PROJECT CODE SKT									