

Specification Sheet

Part Number: 156-00072



Heavy-Duty Fir Tree Mount Cable Tie, 9" x .5", .04"-.62" Panel Thickness, PA66HIRHSUV, Black, 100/pkg

Article Number	156-00072
Type	WSSFT9B
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none">• The "H" profile provides a broad surface contact to minimize the pinching of bundles.• Heavy duty fir tree mounts are equipped with a friction tab that will hold the tie in the mount, allowing them to be preassembled prior to installation.• Designed specifically for HellermannTyton 120 - 250 lb. cable ties for heavy duty applications.
Quantity Per	bag
Product Description	HellermannTyton heavy duty fir tree mounts are designed with heavy duty applications in mind. These are optimized for up to 3 to 1 extraction versus insertion force to make assembly fast and easy. These mounts are sold as an assembly with a cable tie.

Short Description	Heavy-Duty Fir Tree Mount Cable Tie, 9" x .5", .04"-.62" Panel Thickness, PA66HIRHSUV, Black,100/pkg
Global Part Name	WSSFT9B-PA66HIRHSUV-BK
Minimum Tensile Strength (Imperial)	120.0
Minimum Tensile Strength (Metric)	535
Length L (Imperial)	9.0
Length L (Metric)	228.0
Fixation Method	Fir Tree
Identification Plate Position	none
Tie Closure	plastic pawl
Variant	Inside Serrated
Width W (Imperial)	0.5
Width W (Metric)	12.7
Bundle Diameter Max (Imperial)	2.3
Bundle Diameter Max (Metric)	57.0
Height H (Imperial)	1.10
Height H (Metric)	28.50

Panel Thickness Min(Imperial)	0.039
Panel Thickness Max(Imperial)	0.622
Panel Thickness Min (Metric)	1.0
Panel Thickness Max (Metric)	15.8
Mounting Hole Diameter D (Imperial)	0.34 - 0.36
Mounting Hole Diameter D (Metric)	8.7 - 9.2 mm
Mounting Hole Diameter D Min (Imperial)	0.34
Mounting Hole Diameter D Max (Imperial)	0.36
Mounting Hole Diameter D Max (Metric)	9.25
Disc Diameter(Metric)	21.6
Disc Diameter (Imperial)	0.9
Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV
Flammability	UL 94 HB
Operating Temperature (Metric)	-65°F to +212°F (-54°C to +100°C)
ROHS Complaint	Yes

Package Quantity(Imperial)

100

Package Quantity (Metric)

100

Customs Number

3926909987