


PC board drilling dimensions (after plating)
(thickness ≤ 3.20 ± 0.30mm)



TIN LEAD PART NUMBER

SHELL	A±0.38	B±0.12	C±0.10	D±0.25	E±0.07	PART NUMBER	PART NUMBER
09	30.81	24.99	16.96	16.21	10.96	D09S91C4PA00	D09S91C6PA00
15	39.14	33.32	25.18	24.54	19.18	D15S91C4PA00	D15S91C6PA00
25	53.03	47.04	39.12	38.25	33.12	D25S91C4PA00	D25S91C6PA00
37	69.32	63.50	55.68	54.71	49.68	D37S91C4PA00	D37S91C6PA00
						gold flash	0.76µ gold

SHELL	A±0.38	B±0.12	C±0.10	D±0.25	E±0.07	PART NUMBER	PART NUMBER
09	30.81	24.99	16.96	16.21	10.96	D09S91C4PA00LF	D09S91C6PA00LF
15	39.14	33.32	25.18	24.54	19.18	D15S91C4PA00LF	D15S91C6PA00LF
25	53.03	47.04	39.12	38.25	33.12	D25S91C4PA00LF	D25S91C6PA00LF
37	69.32	63.50	55.68	54.71	49.68	D37S91C4PA00LF	D37S91C6PA00LF
						gold flash	0.76µ gold

GENERAL CHARACTERISTICS AND ROHS INFORMATIONS:
SEE DRAWING C01-8646-0001

European Views

www.fciconnect.com		surface ISO 1302 ✓	tolerance std ISO 406 ISO 1101	projection mm
TOLERANCES UNLESS OTHERWISE SPECIFIED				
Dr	JOUBERT	1995/08/11	0.X ±0.1	size A3
Eng	PESSON	1995/08/11	0.XX ±0.1	
Chr	LEGARE	1995/08/11	0.XXX ±0.1	ECN LS06-0140
Appr	LEGARE	1995/08/11	Product family D-SUB	
FCI		FEMALE CONNECTOR DELTA D STD EUROPE		Spec ref -
title straight press-fit		dwg no C01-8646-0127		Rev. J
catalog no		CUSTOMER		sheet 1 of 1

rev	ecn no	dr	date
F	-	-	1996/07/17
G	LS05-004	MPE	2005/02/07
H	LS06-0095	LGO	2006/06/19
J	LS06-0140	LGO	2006/09/22
-	-	-	-
-	-	-	-
-	-	-	-