

5

4

3

2

1

受控 CONTROLLED DOCUMENT

编号 P/N	CP881-CUST	版本 Rev	01	日期 Rel'd Date	SEP 14,09
-----------	------------	-----------	----	------------------	-----------

DRAWING NO.

CP881-CUST

REVISIONS

OFFICAL RELEASE

01

08-17-09

J

J

T

T

T

T

T

T

T

T

T

2009.09.0
08085732
+0800©*Betty*

Description: BNC 2pc male crimp RG58

Part No: CP881

Application: For RG58 Cable

Crimp Tool: 24-9858P

Impedance: 50 Ohms

Frequency Range: 0-4 GHz

Material:

Body	Brass Nickel plated
Contact	Brass Gold plated
Insulator	Teflon
Crimp sleeve	Brass Nickel plated
Coupling nut	Zinc Nickel plated

RoHS Compliance: Yes

Technical Detail: Refer to Emerson Document P/N 27-0000

Dimensions (mm / inches):

- Total length: 17.4 ± 0.3 (.684 ± .012)
- Length to contact: 11.4 (.449)
- Length to crimp sleeve: 11.0 (.435)
- Outer diameter of crimp sleeve: 8.50 (.335)
- Outer diameter of body: 9.2 (.362)
- Length of body: 6.2 (.244)
- Inner diameter of body: 5.50 (.217)

Dimensions (mm / inches):

- Total length: 25.7 ± 0.5 (1.012 ± .020)
- Length to contact: 10.5 (.413)
- Outer diameter of crimp sleeve: 8.50 (.335)
- Outer diameter of body: 9.2 (.362)
- Length of body: 6.2 (.244)
- Inner diameter of body: 5.50 (.217)
- Inner diameter of contact: 1.30 (.051)
- Reference diameter: REF Ø 14.5 (.571)

DIM OUTLINE

TOLERANCE UNLESS OTHERWISE SPECIFIED		DRAWN BY	DATE
		JEAN.JIN	08-17-09
DECIMALS	mm	CHECKED BY	DATE
X	± 0.5	TERRY.W	08-17-09
X.X	± 0.2	APPROVED BY	DATE
X.XX	± 0.1	THOMAS	08-17-09
ANGLES	± 0.5°	U/M	mm

TITLE
BNC 2PC MALE CRIMP RG58

SHEET
1 OF 1

DRAWING NO.
CP881-CUST

SIZE
A

CUSTOMER COPY

5

4

3

2

1