

REMARKS : 1) * ----- REFER TO COVER PAGE

2) ** ----- X.XX = 2.54 (FOR PIN LENGTH ≥ 3.20 & ≤ 10.00mm.)
 ** ----- X.XX = 1.75 (FOR PIN LENGTH > 10.00 & ≤ 19.50mm.)

DWGNO. : VI-508-DP REV : 0		VARITRONIX LTD.		Dimension : mm	TOL : ±0.15 IF NOT SPECIFY	DD NOT SCALE DRAWING	3 rd ANGLE PROJECTION
Drawn by : P.QJIN		SIGN :		Date : 2001-05-17	Date :		
Checked by : ERIC		SIGN :		Date :			


DWG.NO. : VI-508-DP (REV.0)

PIN40

PIN21

PIN1

PIN20



6.0°

P4

P3

5

4

3

DP3

2


DP2

1



4.83

10.16

DWG. NO. : VI-508-DP (REV.0)
SEGMENT TRACKING



DWG.NO. : VI-508-DP (REV.0)



FRONT POLARIZER

FRONT GLASS

BACK GLASS

BACK POLARIZER

DWG.NO. : VI-508-DP (REV.0)

PIN	SEG	PIN	SEG
1	COM	21	1A
2	5G	22	1F
3	5E	23	1G
4	5D	24	2B
5	5C	25	2A
6	4E	26	2F
7	4D	27	2G
8	4C	28	3B
9	3E	29	3A
10	3D	30	3F
11	3C	31	3G
12	DP3	32	P3
13	2E	33	4B
14	2D	34	4A
15	2C	35	4F
16	DP2	36	4G
17	1E	37	P4
18	1D	38	5B
19	1C	39	5A
20	1B	40	5F