


DASH NO	CABLE ACCOMMODATED	A HEX	ASSEMBLE PER
-D1	BELDEN 1855A COMM/SCOPE 7538	.178	TA1-226
-D2	BELDEN 1505A GEPKO VPM2000	.255	
-D3	RG-59		
-D4	BELDEN 1694A GEPKO VSD2001	.290	
-D6	BELDEN 1695A		
-D7	BELDEN 9221 RG-179	.178	
-D8	BELDEN 1506A GEPKO VPM2000TK	.255	
-D9	BELDEN 9209		
-D10	BELDEN 8281	.324	
-D11	WESTPENN 25815	.255	
-D12	NOKIA 0.6/2.8	.213	
-D14	BELDEN 8279 GEPKO VPM618 CANARE L-3CFB	.255	
-D17	NK NETWORKS 0,6/3,7	.290	
-D19	BELDEN 1855A	.213	
-D24	BELDEN 1790T	.178	


DATA CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO TROMPETER ELECTRONICS INC. AND SHALL NOT BE DISCLOSED, COPIED OR USED FOR PROCUREMENT OR MANUFACTURE WITHOUT EXPRESS WRITTEN PERMISSION.

REVISIONS

REV	DESCRIPTIONS	DATE	APPROVED
G	REVISED PER ECO 15675	10-13-04	WS



RED INDICATES ORIGINAL



RECOMMENDED
HEX CRIMP

3. EXAMPLE OF A COMPLETE MODEL NO:

UPLR2000 - D1
BASIC P/N DASH NO.
 PER TABLE

2. RF COAXIAL 75Ω BNC FULL CRIMP RIGHT ANGLE CABLE PLUG FOR DIGITAL APPLICATION

- FINISH: BODY: TFS-1A (NICKEL)
OUTER CONTACT: TFS-1Z (GOLD FLASH Pd Ni)
PIN: TFS-1B (GOLD)
BAYONET SLEEVE: BLACK ELECTROLESS NICKEL

NOTES: UNLESS OTHERWISE SPECIFIED.

INTERPRET DRAWING PER MIL-STD-100. DIMENSIONS ARE IN INCHES AND INCLUDE FINISH THICKNESS UNLESS OTHERWISE SPECIFIED.		TOL: UNLESS SPECIFIED. .XX ± .XXX ± .005 .XXXX ± ANGLE ±				
DRN AAH	10-7-04	MATERIAL:	TITLE: UPLR2000			
CHK TJL	10-7-04	FINISH: SEE NOTE 1	SIZE A	CAGE CODE 14949	DRAWING NO. 1-0572	REV. G
QUAL MS	10/13/04		SCALE 4/1	DATE 12-14-98	SHEET 1C	
MANUF BP	10/13	NEXT ASSY 1-0572		DO NOT SCALE DWG		
APPROVED WS	10/11/04					