



LOC		DIST		REVISIONS			
GP	00	P	LTN	DESCRIPTION	DATE	DWN	APVD
		D		REVISED PER ECO-12-018536	16OCT2012	JY	AC




2007170-1  
SCALE 2:1





2007170-3  
SCALE 2:1

- 1. MATERIAL:  
 CAGE ASSEMBLY: 0.25mm THICK NICKEL SILVER ALLOY  
 GASKET RETENTION PLATE: STAINLESS STEEL  
 GASKET: PLATED FILLED SILICONE
- 2. DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
- 3. MATES WITH SFP MSA COMPLIANT TRANSCEIVERS.
- 4. PADS AND VIAS CHASSIS GROUND.
- 5. INTERPRETATION OF DATUM REFERENCE FRAME IN ACCORDANCE WITH SECT 4.4.1.1 OF ASME Y14.5M-1994.
- 6. MINIMUM PC BOARD THICKNESS = 1.50mm.
- 7. HOLE PATTERN REPEATS FOR EACH PORT. SPACING BETWEEN PORTS IS 14.25mm.
- 8. REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- 9. REFERENCE APPLICATION SPEC. 114-13120, HOLE B, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- 10. PRODUCT COMPLIES WITH SPECIFICATION SFF-8433 IMPROVED PLUGGABLE FORM FACTOR FOR SFP+ GANGED CAGES.



2007170-1 AS SHOWN  
SCALE 4:1





2007170-3  
SCALE 4:1


2007170-3
2007170-1
PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: Z.M.BEAM 17JUL2007	TE Connectivity
DIMENSIONS: mm		CHK: M.R.SCHMITT 17JUL2007	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: R.H.WERTZ 17JUL2007	NAME: SFP+ 1X6 CAGE ASSEMBLY PRESS FIT, EMI GASKET
0 PLC ±0.1	1 PLC ±0.1	PRODUCT SPEC: 108-2364	SIZE: A1
2 PLC ±0.1	3 PLC ±0.1	APPLICATION SPEC: 114-13120	CAGE CODE: 00779
4 PLC ±0.1	ANGLES ±1°	WEIGHT: -	DRAWING NO: 2007170
MATERIAL: -		Customer Drawing	SCALE: 1:1
FINISH: -			SHEET 1 OF 3
			REV D

LOC		DIST		REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD		
-	-	SEE SHEET 1	-	-	-		




2007170-1  
MOUNTED ON PC BOARD  
SHOWN THRU RECOMMENDED BEZEL



2007170-3  
MOUNTED ON PC BOARD  
SHOWN THRU RECOMMENDED BEZEL  
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN	Z. M. BEAM	17JUL2007	TE Connectivity NAME SFP+ 1X6 CAGE ASSEMBLY PRESS FIT, EMI GASKET
DIMENSIONS:		CHK	M. R. SCHMITT	17JUL2007	
mm		APVD	B. H. WERTZ	17JUL2007	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.1 1 PLC ±0.1 2 PLC ±0.1 3 PLC ±0.1 4 PLC ±0.1 ANGLES ±1°		PRODUCT SPEC	108-2364	APPLICATION SPEC	
MATERIAL		FINISH	114-13120	WEIGHT	SIZE
					A100779
					Customer Drawing
					SCALE 1:1 SHEET 2 OF 3 REV D


LOC		DIST		REVISIONS			
GP	00	P	LTH	DESCRIPTION	DATE	DMN	APVD
				SEE SHEET 1			



THIS AREA DENOTES COMPONENT KEEP-OUT (TRACES ALLOWED)

CROSS-HATCHED AREA DENOTES COMPONENT AND TRACE KEEP-OUT (EXCEPT CHASSIS GROUND)

RECOMMENDED PCB CONFIGURATION WITH KEEP-OUT AREAS SCALE 5:1



DETAIL X  
 RECOMMENDED PT CONNECTOR LAYOUT  
 6X INDIVIDUALLY  
 SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN	Z. M. BEAM	17 JUL 2007	TE Connectivity
DIMENSIONS:		CHK	M. B. SCHMITT	17 JUL 2007	
mm		APVD	B. H. WERTZ	17 JUL 2007	
0 PLC ±0.1 1 PLC ±0.1 2 PLC ±0.1 3 PLC ±0.1 4 PLC ±0.1 ANGLES ±1°		PRODUCT SPEC	NAME		
MATERIAL		FINISH	108-2364 APPLICATION SPEC		SIZE
			114-13120 WEIGHT		CAGE CODE
			Customer Drawing		DRAWING NO
			A100779		RESTRICTED TO
			SCALE 1:1		SHEET 3 OF 3
			REV D		